

New Product Guide





Hydroblast HB5



- OTG option
- $\boldsymbol{\cdot}$ Co-injected Super soft TPR seal allows for better, yet more comfortable fit
- \cdot D3 for splash and droplet protection, great for chemical splash, turn arounds

Indirect Vented

Z94.3

Z87.1

• Adjustable straps are latex free

RATED

• 7-Point Ratchet action hinge



• Includes elastic strap that connects to temples



MCR SAP

HB510PF Elastic Strap Clear Lens MAX6® Anti-Fog Coating



Swagger[®] SR2

- Blended for industrial safety and lifestyle living
- Retro style meets modern fit and comfort
- Detachable side-shields (warning: if side-shields are removed, frame does not pass ANSI Z87+)
- Soft, secure TPR nose-pads and temple ends



Clear Lens Duramass® Hard Coat

SR210AF UV-AF[®] Anti-Fog Coating Gray Lens Duramass® Hard Coat

Blue Mirror Lens Duramass[®] Hard Coat



SR218BZ Duramass[®] Hard Coat Polarized

Black Frame Red/White/Blue Imprint Temples



SR232AF Gray Lens UV-AF[®] Anti-Fog Coating

- SR238BZDC
- Blue Mirror Lens MAX36[™] Anti-Fog, Anti-Scratch Coating Polarized

Charcoal Frame



SR22BG Green Mirror Lens Duramass® Hard Coat



SR22BGZ Duramass[®] Hard Coat Polarized



SR22BGZDC MAX36[™] Anti-Fog, Anti-Scratch Coating Polarized









PD6901 Sizes: S-XXXL

- Impact resistant, patented Predator® tire tread TPR back
- Maxgrid pattern palm for grip in dry, wet, or oily conditions
- HyperMax 360° lining for extreme cut protection
- Patented Hi-Vis PD6 tire tread TPR impact protection
- Hook-and-loop wrist closure with suede pull tab
- Reinforced black MAXGrid[™] thumb crotch
- Hybrid fourchettes for strength in high stress areas



- PD6952 Sizes: S-XXXL
- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-Gauge seamless salt and pepper hypermax shell
- Outstanding cut, abrasion, and punture protection
- Good dexterity

HYPERMAX

2

13

- Black bi-polymer coated palm and fingertips
- Hi-tech nylon stitched on reinforced thumb crotch

MCR SAFET

Reflective cuff logo



PD6951 Sizes: S-XXXL

- Patented Hi-Vis PD6 tire tread TPR impact protection
- 13-Gauge seamless gray HyperMax[®] shell
- Excellent cut and abrasion resistance
- · Good dexterity and puncture resistance
- Gray polyuerethane (PU) coated palm and fingertips
- Hi-tech nylon stitched on reinforced thumb crotch
- Reflective cuff logo

PD4903 Sizes: S-XXXL

- HyperMax[®] cut-resistant 360° liner
- Hi-Vis lime spandex back of hand
- Hi-Vis red synthetic leather palm
- Patented Hi-Vis PD4 tire tread TPR impact protection
- Sturdy pull tab for donning and doffing
- Reflective material on both sides of the cuff
- Reinforced thumb crotch and rolled index finger



9273SPU Sizes: XS-XXL

PUN 3

- $\boldsymbol{\cdot} \operatorname{HyperMax}^{\scriptscriptstyle \mathbb{B}} \operatorname{engineered} \operatorname{yarn} \operatorname{shell}$
- Sandy textured Polyurethane (PU) coated palm and fingertips



• HyperMax[®] engineered yarn shell

Crinkle Latex over-the-knuckle coating



MCR SAFETY



9178NFO Sizes: S-XXL

- DuPont[™] Kevlar[®] engineered yarn shell
- Nitrile Foam coated palm and fingertips



CUT PROTECTION

HyperMax[®] engineered yarn shell

21

3

^{PUN}

Polyurethane (PU) coated palm and fingertips



• DuPont[™] Kevlar[®] engineered yarn shell

Sandy Nitrile Foam coated palm and fingertips




9188PUB Sizes: XS-XXL • DuPont[™] Kevlar[®] engineered yarn shell

• Polyurethane (PU) coated palm and fingertips



9218SVT Size: 18" • HyperMax® engineered yarn • Adjustable Hook and Loop Bicep Thumb Slot MCR SAFETY







 $\boldsymbol{\cdot} \text{ Thumb slot}$





9214OVT Size: 14"

- HyperMax[®] engineered yarn
- Adjustable Hook and Loop Bicep
 Thumh Slat

Thumb Slot



9218OVT Size: 18" • HyperMax[®] engineered yarn • Adjustable Hook and Loop Bicep • Thumb Slot



9222OVT Size: 22" • HyperMax[®] engineered yarn • Adjustable Hook and Loop Bicep • Thumb Slot



WE PROTECT PEOPLE

MCR Customer Service | 800.955.6887 www.mcrsafety.com

